

## CLAIM AMENDMENTS

Claims 1 to 13 (cancelled). ✓

a' 1           14. (new) A group of lockers, including at least a first  
2 and a second neighboring lockers, at least the first locker  
3 including a body forming a compartment including compartment walls  
4 and having an open side, and a curved door of generally uniform  
5 cross section and of uniform curvature, the door curvature lying  
6 upon a circle, the door being supported such that the door may be  
7 rotated from a closed position in which the open side of the  
8 compartment is substantially covered by the door, to an open  
9 position in which the open side of the compartment is substantially  
10 uncovered, there being a cavity between neighboring compartment  
11 walls of the first and second lockers respectively, the door  
12 curvature remaining in the circle during rotation, and the cavity  
13 being capable of accommodating the door in the open position of the  
14 door.

1           15. (new) A group of lockers according to claim 14  
2 wherein the cavity, from a front of the lockers, is covered by a  
3 covering member.

1           16. (new) A group of lockers according to claim 15,  
2 wherein the covering member includes a recess, and the door

3 includes at least one edge, the recess receiving said edge of the  
4 door of the second locker.

1 17. (new) A locker including a body forming a non-  
2 cylindrical compartment having an open side, and a door of  
3 generally uniform cross section and of uniform curvature, said  
4 curvature lying upon a circle, the door being supported such that  
5 the door can be rotated from a closed position in which the open  
6 side of the compartment is substantially covered by the door, to an  
7 open position in which the open side of the compartment is  
8 substantially uncovered, the door curvature remaining in the circle  
9 during rotation of the door between said positions, the door being  
10 substantially outside the body of the locker when the locker is in  
11 the open position.

1 18. (new) A locker according to claim 17, wherein the  
2 door is supported upon pivot means.

1 19. (new) A locker according to claim 18, wherein the  
2 pivot means is supplied by a generally segmental shape pivoted  
3 about the apex of the segmental shape.

1 20. (new) A locker according to claim 19 further  
2 comprising a locking means to secure the door in the closed  
3 position.

1 21. (new) A locker according to claim 20 wherein the  
2 locking means acts upon the segmental shape.

*a!*  
*cont*  
1 22. (new) A locker according to claim 17 wherein an  
2 extruded handle is provided on the door.

---